



Multiple Substitution Analysis of Feeder Technologies





Forecast for the Adoption of Fiber in the Distribution Outside Plant


An analysis of Internet access requirements and the role of fiber and xDSL technologies

**TECHNOLOGY
FUTURES INC.**

Copyright © 1999 Technology Futures, Inc. TF1L-FDT2




U.S. Adoption of Home PCs and Online Services




**TECHNOLOGY
FUTURES INC.**

Copyright © 1999 Technology Futures Inc. TFTL-FDT2




U.S. Adoption of Online Services and High-Speed Digital Access



**TECHNOLOGY
FUTURES INC.**

Copyright © 1999 Technology Futures, Inc. TFL-FDT2




Historical Analogies Used to Drive the Forecast of Home Digital Services Adoption

Analogy	Country	Range	b
Radio	U.S.	1922-1940	.1803
Color TV	U.S.	1955-1992	.1843
Television	U.S.	1946-1960	.3175
CD Player	U.S.	1986-1994	.1651
VCR	U.S.	1979-1994	.2337
Pay cable	U.S.	1973-1981	.2121
Average			.2155


“b” value implied by analogies .2155

**TECHNOLOGY
FUTURES INC**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2



U.S. Minimum Availability & Adoption of High-Speed Digital Access



**TECHNOLOGY
FUTURES INC.**



Copyright © 1999 Technology Futures, Inc. TFTL FDT2




ISDN Availability— Percentage of Access Lines


Model	FP	
Input to Compute a & b:		
Year		% New
Rate		Span
a=	1.Direct	2.Comp
b=		3.Fitted
r=		1994
		0.5869
		80%
Use Column->		3

Year	Input Pct New	Data? Yes=1	Output Pct New
1989	3.0%	0	5.2%
1990	13.2%	0	9.0%
1991	19.2%	0	15.0%
1992	25.8%	0	24.1%
1993	35.2%	0	36.4%
1994	48.5%	0	50.7%
1995	62.5%	0	64.9%
1996		0	78.9%
1997		0	85.7%
1998		0	91.5%
1999		0	95.1%
2000		0	97.2%
2001		0	98.4%
2002		0	99.1%
2003		0	99.5%
2004		0	99.7%
2005		0	99.8%
2006		0	99.9%
2007		0	100.0%
2008		0	100.0%
2009		0	100.0%
2010		0	100.0%
2011		0	100.0%
2012		0	100.0%
2013		0	100.0%
2014		0	100.0%
2015		0	100.0%
2016		0	100.0%
2017		0	100.0%
2018		0	100.0%
2019		0	100.0%






Households Using Digital Services— Minimum Competitive Data Rates







Home Digital Services— Average Data Rate







Home Digital Service Availability on Fiber





xDSL Households—Middle Scenario






Switching Technologies

1. Digital for Analog
2. Modular Digital Analysis
3. Packet vs. Circuit





Switching Technology Shares






Multiple Substitution Analysis of Switching Technologies






Digital Switching Investment




**TECHNOLOGY
FUTURES INC.**

Copyright © 1999 Technology Futures Inc. TFTL-FDT2



Switching Technology Shares— Late ATM Scenarios



**TECHNOLOGY
FUTURES INC.**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2




Digital Switching—Modular Retirement Analysis

Component	% of Investment	Key Drivers	ARL (years)	Composite Contribution (years)
Processor/ Memory	15%	Life cycle	3.5	0.52
Switching Fabric	6%	Life cycle & ATM	8.0	0.52
Trunk Interface	16%	IO SONET + 2 years	4.1	0.65
DLC Line Interface	8%	Feeder SONET + 2 years	6.6	0.50
Baseband Line Interface	47%	DLC, FITL, & Dig Services	6.9	3.25
Shell	8%	ATM Architecture	11.3	0.92
Composite	100%	Composite ARL = (as of 1/1/97)		

6.3 **TECHNOLOGY
FUTURES INC**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2



Packet vs. Circuit Switching

This is the subject for 1999 studies. These are not incorporated into current TFI life recommendations.


**TECHNOLOGY
FUTURES INC.**

Copyright © 1999, Technology Futures, Inc. TFI-IL-FDT2




What's Going On?

Application Shift



Technology Substitution



Technological Competition


ATM vs. IP

**TECHNOLOGY
FUTURES INC.**

Copyright © 1999 Technology Futures, Inc. TFTL-FDT2




A Scenario for LEC Adoption of Packet Switching





Fate of Today's Circuit Switched Voice/Fax Traffic




**TECHNOLOGY
FUTURES INC**

Copyright © 1999 Technology Futures Inc. TFTL-FDT2




Fate of Today's Circuit Switched, Low-Speed Data Traffic



**TECHNOLOGY
FUTURES INC.**

Copyright © 1999 Technology Futures Inc. TFTL-FDT2





Wireless vs. Wireline

An Economic Value Analysis

Note: This analysis is not incorporated into TFI industry recommended lives.


**TECHNOLOGY
FUTURES INC.**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2





**TECHNOLOGY
FUTURES INC.**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2




Monthly Price for U.S. Cellular/PCS Service (250 Mins)






U.S. Cellular/PCS Subscribers



Source: Technology Futures, Inc.

**NOLOGY
FUTURES INC.**

Copyright © 1999 Technology Futures, Inc. TFL-FDT2



Why Wireless Can Replace Wireline for Voice and Low-Speed Data

- Less expensive
- Sufficient capacity
- Quality is improving
- Scalable for competition
- Mobility

**TECHNOLOGY
FUTURES INC**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2




Wireless Options

- Traditional cellular/PCS
- Wireless local loop (cellular/PCS)
- Wireless local loop (fixed location)
- MMDS/LMDS
- LEOs (two generations)




Calculating the Impact on Wireline

- Forecast of wireless access
- Calculation of lost wireline minutes and access
- Cash flow impact
- Loss of revenue



Basic Model of Wireless/Wireline Competition




- Historically, high per-minute charges caused most customers to:
 - limit cellular usage
 - delay making calls when possible
 - limit length of calls
 - limit incoming calls
- At projected lower prices per minute, wireless will increasingly be used instead of wireline

Source: Technology Futures, Inc.


**TECHNOLOGY
FUTURES INC**

Copyright © 1999 Technology Futures, Inc. TFTL FDT2



Relationship Between Cellular/PCS Price and Wireline Usage

- Basic model




- at \$0.20 per minute, 90% of minutes remain on wireline
- at \$0.08 per minute, the remaining percentage falls below 50%

- No time lag


Source: Technology Futures, Inc. (Exhibit 3.3A)

**TECHNOLOGY
FUTURES INC.**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2



Model with Time Lag



- Today—35% of base model
- 2002—90% of base model
- 2004—98% of base model


Source: Technology Futures, Inc. (Exhibit 3.3B)

**TECHNOLOGY
FUTURES INC.**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2




Wireline Voice Usage and Access Lines Remaining from Cellular/PCS Customers




Source: Technology Futures, Inc.

**TECHNOLOGY
FUTURES INC.**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2




Relationship Between Lost Minutes and Lost Access Lines



Source: Technology Futures, Inc.

**TECHNOLOGY
FUTURES INC**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2




Growth of Data Access Lines


- Low-speed, shared (voice and data)
- Low-speed, second line
- High-speed (service at 1.5 Mb/s and above)

**TECHNOLOGY
FUTURES INC.**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2




LEC Wireline Access Lines




Source: Technology Futures, Inc.

**TECHNOLOGY
FUTURES INC.**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2



Voice Usage Revenue Remaining from Cellular/PCS Customers




Source: Technology Futures, Inc.

**TECHNOLOGY
FUTURES INC.**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2




Total Base Revenue Remaining



Source: Technology Futures, Inc.

**TECHNOLOGY
FUTURES INC.**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2



3 *Middle Fiber*

1 2 3 4
 ARL= 7.7 9.4 6.6
 (Years, as of 1/1/98)

Survivors from 1/1/98

Year End	Cash Flow	Copper Cable	Combined
1997	100%	100%	100%
1998	98%	100%	98%
1999	95%	99%	94%
2000	90%	97%	87%
2001	84%	94%	79%
2002	77%	90%	69%
2003	69%	84%	58%
2004	62%	75%	46%
2005	53%	65%	34%
2006	44%	53%	23%
2007	30%	41%	12%
2008	15%	31%	5%
2009	1%	23%	0%
2010	0%	15%	0%
2011	0%	9%	0%
2012	0%	6%	0%
2013	0%	3%	0%
2014	0%	2%	0%
2015	0%	1%	0%
2016	0%	0%	0%
2017	0%	0%	0%
2018	0%	0%	0%
2019	0%	0%	0%
2020	0%	0%	0%

Wireline Cash Flow Depreciation Model


**TECHNOLOGY
FUTURES INC**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2

Source: Technology Futures, Inc.




Cash Flow-Based Depreciation Model—Percentage of Base Surviving



Source: Technology Futures, Inc.

**TECHNOLOGY
FUTURES INC.**

Copyright © 1999 Technology Futures, Inc. TFTL-FDT2



Summary

- There is a rigorous methodology for forecasting technology change
- It is applicable to economic life estimation
- It has a proven track record
- It is superior to traditional methods when technology obsolescence is important
- It's the industry gold standard for economic lives
- Studies are documented

**TECHNOLOGY
FUTURES INC.**

Copyright © 1999, Technology Futures, Inc. TFTL-FDT2



LAWRENCE K. VANSTON, PH.D.

President

Technology Futures, Inc.

Dr. Lawrence Vanston is an internationally recognized authority in the use of technology forecasting in the telecommunications industry. As president of Technology Futures, Inc., Dr. Vanston has been monitoring, analyzing, and forecasting telecom technologies and services for more than 20 years. His research reports and forecasts are used and referenced extensively by telecom managers and professionals worldwide. As an expert on the impacts of new technologies and markets on the public telephone network, he is frequently called upon to testify before state and federal regulatory commissions.

Since 1985, Dr. Vanston has been the director and principal author of a number of ongoing reports commissioned by the Telecommunications Technology Forecasting Group (TTFG), which is comprised of Bell Atlantic, Bell Canada, BellSouth Telecommunications, Cincinnati Bell, GTE Telephone Operations, Sprint-LTD, and U S WEST Communications. Topics have included Internet access requirements, xDSL technologies, ATM switching, fiber optics, video services, and wireless communications. Most recently, the provocative TTFG report entitled *Wireless vs. Wireline for Voice Services: Forecasts and Impacts* has drawn widespread industry attention.

Dr. Vanston's views and the results of his research are regularly cited by general business and industry publications including the *Wall Street Journal*, *Telephony*, *America's Network*, *Wired*, *Lightwave*, *Wireless Systems Design*, and *Communications News*. The September 21, 1998 issue of *The Wall Street Journal* contained an in-depth interview with Dr. Vanston entitled "Consultant's Call: Lawrence Vanston Makes Some Pretty Bold Predictions for the Future of Telecommunications. He Has Been Right Before."

Dr. Vanston is also a popular speaker on the subject of the future of telecommunications and its significance to organizations and people. He recently served as keynote speaker at the Global Business Forum and has spoken at such prestigious programs as the Pacific Telecommunications Conference, the International Engineering Consortium's ComForum, SUPERCOMM, the Brazil Telecom Summit, and USTA's Capitol Recovery Seminar. Attendees of the 1993 National Telecommunications Forecasting Conference (now International Communications Forecasting Conference) honored Dr. Vanston as Outstanding Speaker of the Year. In addition, he directs the popular ongoing TFI business seminar, *Technology Forecasting for the Telecom Industry*.

Before joining Technology Futures in 1984, Dr. Vanston spent four years with Bell Labs and Bellcore in network planning where he proposed and evaluated potential new long distance, billing, access, and data services. Prior to that, he was with the Texas Petroleum Research Committee and the Center for Energy Studies at the University of Texas at Austin. His academic achievements include a B.A. in government (1975) and an M.S. (1977) and Ph.D. (1979) in operations research and industrial engineering, all from the University of Texas at Austin.

DOCUMENT OFF-LINE

This page has been substituted for one of the following:

- o An oversize page or document (such as a map) which was too large to be scanned into the ECFS system.
- o Microfilm, microform, certain photographs or videotape.
- Other materials which, for one reason or another, could not be scanned into the ECFS system.

The actual document, page(s) or materials may be reviewed by contacting an Information Technician. Please note the applicable docket or rulemaking number, document type and any other relevant information about the document in order to ensure speedy retrieval by the Information Technician.

*One copy of a 270 page book
entitled "Transforming the Local
Exchange Network".*